



-	2	FIFO with (reload\$3 pushback).ab.	USPAT; US-PGPUB	2004/09/16 16:50
-	3	(FIFO with (reload\$3 pushback) ) same unload\$3	USPAT; US-PGPUB	2004/09/16 16:48
-	1	FIFO with pushback	USPAT; US-PGPUB	2004/09/16 16:49
-	38	(FIFO with (reload\$3 pushback) ) with data	USPAT; US-PGPUB	2004/09/16 17:01
-	2	(FIFO with (reload\$3 pushback) ) with (error mistake)	USPAT; US-PGPUB	2004/09/16 17:01
-	124	(reload\$3 pushback) with data with (error mistake\$5 unintended unintentional)	USPAT; US-PGPUB	2004/09/16 17:04
-	2	( (reload\$3 pushback) with data with (error mistake\$5 unintended unintentional) ) with fifo	USPAT; US-PGPUB	2004/09/16 17:04
-	9	( (reload\$3 pushback) with data with (error mistake\$5 unintended unintentional) ) with (fifo buffer memory)	USPAT; US-PGPUB	2004/09/16 17:23
-	20809	713/\$.ccls.	USPAT; US-PGPUB	2004/09/16 17:43
-	57	713/\$.ccls. and daughter adj board	USPAT; US-PGPUB	2004/09/16 17:48
-	38	713/\$.ccls. and daughter adj board	USPAT	2004/09/16 17:52
-	12594	(card IC EEROM PROM) with (encod\$3 encrypt\$5 security)	USPAT	2004/09/16 20:03
-	2245594	(card IC EEROM PROM) with (encod\$3 encrypt\$5 security)@ad<19951112	USPAT	2004/09/16 17:55
-	2245594	((card IC EEROM PROM) with (encod\$3 encrypt\$5 security))@ad<19951112	USPAT	2004/09/16 17:57
-	0	47@ad<19951112	USPAT	2004/09/16 17:56
-	1229	((card IC EEROM PROM) with (encod\$3 encrypt\$5 security) ) with decod\$3	USPAT; US-PGPUB	2004/09/16 17:57
-	46	((card IC EEROM PROM) with (encod\$3 encrypt\$5 security) ) with decod\$3) with algorithm	USPAT; US-PGPUB	2004/09/16 17:58
-	17	"6266724"	USPAT	2004/09/16 18:18
-	1	("6266724").PN.	USPAT; US-PGPUB	2004/09/16 18:29
-	2	((("5172338") or ("4405829"))).PN.	USPAT; US-PGPUB	2004/09/16 18:29
-	366	4405829.URPN.	USPAT	2004/09/16 19:35
-	700	((card IC EEROM PROM) with (encod\$3 encrypt\$5 security) ) with authenticat\$5	USPAT; US-PGPUB	2004/09/16 20:04
-	139	((card IC EEROM PROM) with (encod\$3 encrypt\$5 security) ) with authenticat\$5) same computer	USPAT; US-PGPUB	2004/09/16 20:04
-	1	("5375037").PN.	USPAT; US-PGPUB	2004/09/17 10:34
-	2	((("5375037") or ("5663901"))).PN.	USPAT; US-PGPUB	2004/09/17 11:04
-	2	((("5663901") or ("5172338"))).PN.	USPAT; US-PGPUB	2004/09/17 10:46
-	1	("5357573").PN.	USPAT; US-PGPUB	2004/09/17 11:14
-	182	interface adj connector with PCMCIA	USPAT; US-PGPUB	2004/09/17 11:16
-	108	interface adj connector with PCMCIA	USPAT	2004/09/17 11:21
-	200	interface with PCMCIA with (ATA IDE)	USPAT	2004/09/17 11:22
-	192	(interface with PCMCIA with (ATA IDE)) not (interface adj connector with PCMCIA)	USPAT; US-PGPUB	2004/09/17 12:18
-	1	("4405829").PN.	USPAT; US-PGPUB	2004/09/17 13:19

-	366	4405829.URPN.	USPAT	2004/09/17 12:20
-	454	(encod\$3 cypher\$3) near3 (message data) with stor\$4 with card	USPAT; US-PGPUB	2004/09/17 13:20
-	454	(encod\$3 cypher\$3) near3 (message data) with stor\$4 with card	USPAT; US-PGPUB	2004/09/17 13:20
-	320	(encod\$3 cypher\$3) near3 (message data) with stor\$4 with card	USPAT	2004/09/17 13:20
-	21	((encod\$3 cypher\$3) near3 (message data) with stor\$4 with card ) with key	USPAT	2004/09/17 13:33
-	2	("5202921"   "5371794").PN.	USPAT	2004/09/17 13:22
-	0	encoded adj message with decod\$4 adj(information algorithm) with card	USPAT	2004/09/17 13:31
-	10	encoded adj message with decod\$4 adj(information algorithm)	USPAT	2004/09/17 13:32
-	19661	(memory flash eeprom smart) adj card	USPAT	2004/09/17 13:33
-	55	((encod\$3 cypher\$3) near3 (message data) with stor\$4 with card ) same ((memory flash eeprom smart) adj card)	USPAT	2004/09/17 16:21
-	10	("4517596"   "4982291"   "5016107"   "5081450"   "5093731"   "5212742"   "5249053"   "5267333"   "5287420"   "5432871").PN.	USPAT	2004/09/17 14:01
-	37	4517596.URPN.	USPAT	2004/09/17 14:19
-	9450	encod\$3 near3 data with (card memory)	USPAT; US-PGPUB	2004/09/17 16:21
-	2438	(encod\$3 near3 data with (card memory))and @ad<19931112	USPAT; US-PGPUB	2004/09/17 16:22
-	272	((encod\$3 near3 data with (card memory))and @ad<19931112) and decod\$3 near2 (logic algorithm)	USPAT; US-PGPUB	2004/09/17 16:23
-	19	((encod\$3 near3 data with (card memory))and @ad<19931112) and decod\$3 near2 (logic algorithm) and (Flash EEPROM)	USPAT; US-PGPUB	2004/09/17 16:46
-	0	(smart memory volatile EEPROM EPROM flash) adj card with (encrypt\$5 encod\$4 coded cipher\$4) same (algorithm logic) near3 (cod\$4 encod\$4 decod\$4 encrypt\$4 decipher\$4 cipher\$4) and ad@19931112	USPAT; US-PGPUB	2004/09/17 16:50
-	253	(smart memory volatile EEPROM EPROM flash) adj card with (encrypt\$5 encod\$4 coded cipher\$4) same (algorithm logic) near3 (cod\$4 encod\$4 decod\$4 encrypt\$4 decipher\$4 cipher\$4)	USPAT; US-PGPUB	2004/09/17 16:50
-	123	(smart memory volatile EEPROM EPROM flash) adj card with (encrypt\$5 encod\$4 coded cipher\$4) same (algorithm logic) near3 (cod\$4 encod\$4 decod\$4 encrypt\$4 decipher\$4 cipher\$4)	USPAT	2004/09/17 16:51
-	18	((smart memory volatile EEPROM EPROM flash) adj card with (encrypt\$5 encod\$4 coded cipher\$4) same (algorithm logic) near3 (cod\$4 encod\$4 decod\$4 encrypt\$4 decipher\$4 cipher\$4) ) and @ad<19931112	USPAT	2004/09/17 17:09
-	1	("4453074").PN.	USPAT; US-PGPUB	2004/09/17 18:38
-	1	("4798322").PN.	USPAT; US-PGPUB	2004/09/17 18:38